

Fire Resistant Timber Doors Scheme
Certificate Number: IFCC 1265

kiwa

certification

Initial Certification: 25 October 2016
Re-issued: 28 October 2021
Valid to: 24 October 2026

Revised: 15 January 2026
Issue No: 7

Issued by **IFC Certification Ltd** part of the Kiwa UK Group

This is to certify that

David Smith St Ives Limited

Marley Road
St Ives
Huntingdon
Cambridgeshire PE27 3EX
Tel: 01480 309900
Email: doors@davidsmith.co.uk

Who fabricate the following flush door ranges of timber fire doors and or doorsets:

DSF FD30, FD60.
DSP FD30, FD60, FD90, FD120.
DSTM FD30, FD60.
DSA FD30, FD60.
DSXL FD30, FD60.

have satisfied the requirements of the SDP 01 Timber Fire Door scheme v3.9. This includes the testing of products to **BS476: Part 22: 1987**, the inspection of their Factory Production Control continuing surveillance audits and testing of samples of products taken from production. The product specifications to achieve from **30 minutes to 120 minutes integrity** are detailed in the schedules that accompany this certificate, listed on page 2 of this certificate.




David Mowatt
Head of IFC Certification /
Kiwa UK

This certificate consists of 2 pages. Publication of this certificate is permitted



Certificate is only valid if verified on the website.
Check the validity of this certificate by scanning this
QR Code or visiting www.ifccertification.com/search/

KIWA
IFC Certification Ltd
Ground Floor, Suite A
Building 2,
Bear Brook Office Park
Walton Street, Aylesbury,
Bucks, HP21 7GQ



The production of fire-resistant timber doorsets are manufactured in accordance with the schedules referenced within the following table:

Product Description	Fire Rating	Schedule
DSF	FD30, FD60	IFCC1265-DSF01
DSP	FD30, FD60, FD90, FD120	IFCC1265-DSP02
DSTm	FD30, FD60	IFCC1265-DSTm04
DSA	FD30, FD60	IFCC1265-DSA05
DSXL	FD30, FD60	IFCC1265-DSXL07

Signed on behalf of Kiwa UK

David Mowatt
Head of IFC Certification /
Kiwa UK

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

It is the certificate holder's responsibility to ensure that the latest version/ revision of the above assessment reports are maintained as part of the audited FPC system.

Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.